



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 9/11/2018

Version: 1.0

**1033 - 1034 -  
1038 - 1039**

**CREME 1925**

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixtures  
Trade name : CREME 1925  
Product code : 1033 - 1034 - 1038 - 1039  
Product group : Trade product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Consumer use  
Use of the substance/mixture : Care product for smooth leather.

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

AVEL  
Lombre  
16320 MAGNAC LAVALETTE - FRANCE  
T +33 5 45 64 74 74 - F +33 5 45 64 77 36  
[avel@avel.com](mailto:avel@avel.com) - [www.avel.com](http://www.avel.com)

### 1.4. Emergency telephone number

Emergency number : +33 5 45 64 74 74

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable solids, Category 2 H228  
Skin corrosion/irritation, Category 2 H315  
Serious eye damage/eye irritation, Category 2 H319  
Skin sensitisation, Category 1 H317  
Specific target organ toxicity — Single exposure, Category 3, Narcosis H336  
Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of hazard classes and H-statements : see section 16

#### Adverse physicochemical, human health and environmental effects

Flammable solid. May cause drowsiness or dizziness. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) :

Warning

Hazardous ingredients :

Turpentine Oil; Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics

Hazard statements (CLP) :

H228 - Flammable solid.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 9/11/2018

Version: 1.0

**1033 - 1034 -  
1038 - 1039**

## CREME 1925

H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.  
H336 - May cause drowsiness or dizziness.  
H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P101 - If medical advice is needed, have product container or label at hand.  
P102 - Keep out of reach of children.  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P271 - Use only outdoors or in a well-ventilated area.  
P280 - Wear protective gloves.  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

EUH-statements

: EUH066 - Repeated exposure may cause skin dryness or cracking.  
EUH208 - Contains Turpentine Oil(8006-64-2). May produce an allergic reaction.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics	(CAS-No.) 64742-48-9; 1174522-20-3 (EC-No.) 919-857-5 (REACH-no) 01-2119463258-33	50 - 75	Flam. Liq. 3, H226 Muta. Not classified Carc. Not classified STOT SE 3, H336 Asp. Tox. 1, H304
Turpentine Oil	(CAS-No.) 8006-64-2 (EC-No.) 232-350-7 (EC Index-No.) 650-002-00-6 (REACH-no) 01-2119553060-53	10 - 25	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.  
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.  
Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cracking.  
Symptoms/effects after eye contact : Eye irritation.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 9/11/2018

Version: 1.0

**1033 - 1034 -  
1038 - 1039**

**CREME 1925**

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable solid.  
Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.  
Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.  
Storage conditions : Keep cool. Protect from sunlight. Keep away from ignition sources. Store locked up. Store in a well-ventilated place. Keep container tightly closed.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Turpentine Oil (8006-64-2)		
United Kingdom	Local name	Turpentine
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	566 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	100 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	850 mg/m <sup>3</sup>



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 9/11/2018

Version: 1.0

**1033 - 1034 -  
1038 - 1039**

**CREME 1925**

Turpentine Oil (8006-64-2)		
United Kingdom	WEL STEL (ppm)	150 ppm
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics (64742-48-9; 1174522-20-3)		
EU	IOELV TWA (mg/m <sup>3</sup> )	116 mg/m <sup>3</sup>
EU	IOELV STEL (mg/m <sup>3</sup> )	290 mg/m <sup>3</sup>

## 8.2. Exposure controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

### Hand protection:

Protective gloves

### Eye protection:

Safety glasses

### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Paste.
Colour	: Various.
Odour	: Perfume.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable solid.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: Not applicable
Density	: 0.79 - 0.82 g/cm <sup>3</sup> (55 °C)
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 9/11/2018

Version: 1.0

**1033 - 1034 -  
1038 - 1039**

**CREME 1925**

## 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Flammable solid.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Turpentine Oil (8006-64-2)	
LD50 oral rat	> 3700 mg/kg
LD50 oral	5760 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg
LD50 dermal	5010 mg/kg bodyweight
LC50 inhalation rat (mg/l)	13.7 mg/l/4h
LC50 inhalation rat (Dust/Mist - mg/l/4h)	3425 mg/l

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics (64742-48-9; 1174522-20-3)	
LD50 oral rat	> 5000 mg/kg (OECD 401)
LD50 dermal rabbit	> 5000 mg/kg (OECD 402)

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Turpentine Oil (8006-64-2)	
LC50 fish 1	29 mg/l (Fish) (OECD 203)
EC50 Daphnia 1	8.8 mg/l (Daphnie) (OECD 202)
EC50 other aquatic organisms 1	6.4 mg/l waterflea
EC50 other aquatic organisms 2	17.1 mg/l
EC50 72h algae (1)	16.8 mg/l (Algues) (OECD 201)



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 9/11/2018

Version: 1.0

**1033 - 1034 -  
1038 - 1039**

## CREME 1925

### Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics (64742-48-9; 1174522-20-3)

LC50 fish 1	> 1000 mg/l (Oncorhynchus mykiss) (OECD 203)
EC50 Daphnia 1	> 1000 mg/l (Daphnia magna) (OECD 202)
EC50 other aquatic organisms 1	> 1000 mg/l waterflea
EC50 other aquatic organisms 2	> 1000 mg/l
EC50 72h algae (1)	> 1000 mg/l (Pseudokirchneriella subcapitata) (OECD 201)

### 12.2. Persistence and degradability

#### Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics (64742-48-9; 1174522-20-3)

Biodegradation	80 % (28 days)
----------------	----------------

### 12.3. Bioaccumulative potential

#### Turpentine Oil (8006-64-2)

Log Kow	4.49 (25°C)
---------	-------------

#### Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics (64742-48-9; 1174522-20-3)

Log Pow	5 - 7
---------	-------

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
3175	3175	3175	3175	3175
<b>14.2. UN proper shipping name</b>				
SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (SOLIDS or mixtures of solids (such as preparations and wastes) CONTAINING FLAMMABLE LIQUID, N.O.S. having a flash-point up to 60 °C)	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.			
<b>Transport document description</b>				
UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (SOLIDS or mixtures of solids (such as preparations and wastes) CONTAINING FLAMMABLE LIQUID, N.O.S. having a flash-point up to 60 °C), 4.1, II, (E)	UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S., 4.1, II	UN 3175 Solids containing flammable liquid, n.o.s., 4.1, II	UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S., 4.1, II	UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S., 4.1, II
<b>14.3. Transport hazard class(es)</b>				
4.1	4.1	4.1	4.1	4.1



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 9/11/2018

Version: 1.0

**1033 - 1034 -  
1038 - 1039**

**CREME 1925**

ADR	IMDG	IATA	ADN	RID
<b>14.4. Packing group</b>				
II	II	II	II	II
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

#### 14.6. Special precautions for user

##### - Overland transport

Classification code (ADR) : F1  
 Special provisions (ADR) : 216, 274, 601  
 Limited quantities (ADR) : 1kg  
 Excepted quantities (ADR) : E2  
 Packing instructions (ADR) : P002, IBC06, R001  
 Special packing provisions (ADR) : PP9  
 Mixed packing provisions (ADR) : MP11  
 Portable tank and bulk container instructions (ADR) : T3, BK1, BK2  
 Portable tank and bulk container special provisions (ADR) : TP33  
 Vehicle for tank carriage : AT  
 Transport category (ADR) : 2  
 Special provisions for carriage - Packages (ADR) : V11  
 Special provisions for carriage - Bulk (ADR) : VC1, VC2, AP2  
 Hazard identification number (Kemler No.) : 40  
 Orange plates :



Tunnel restriction code (ADR) : E  
 EAC code : 1Z

##### - Transport by sea

Special provisions (IMDG) : 216, 274  
 Limited quantities (IMDG) : 1 kg  
 Excepted quantities (IMDG) : E2  
 Packing instructions (IMDG) : P002  
 Special packing provisions (IMDG) : PP9  
 IBC packing instructions (IMDG) : IBC06  
 IBC special provisions (IMDG) : B2  
 Tank instructions (IMDG) : T3, BK2  
 Tank special provisions (IMDG) : TP33  
 EmS-No. (Fire) : F-A  
 EmS-No. (Spillage) : S-I  
 Stowage category (IMDG) : B  
 Properties and observations (IMDG) : Mixtures of non-dangerous solids (such as soil, sand, production materials etc.) and flammable liquids.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 9/11/2018

Version: 1.0

**1033 - 1034 -  
1038 - 1039**

**CREME 1925**

MFAG-No : 133

## - Air transport

PCA Excepted quantities (IATA) : E2  
PCA Limited quantities (IATA) : Y441  
PCA limited quantity max net quantity (IATA) : 5kg  
PCA packing instructions (IATA) : 445  
PCA max net quantity (IATA) : 15kg  
CAO packing instructions (IATA) : 448  
CAO max net quantity (IATA) : 50kg  
Special provisions (IATA) : A46  
ERG code (IATA) : 3L

## - Inland waterway transport

Classification code (ADN) : F1  
Special provisions (ADN) : 216, 274, 601, 800  
Limited quantities (ADN) : 1 kg  
Excepted quantities (ADN) : E2  
Carriage permitted (ADN) : B  
Equipment required (ADN) : PP, EX, A  
Ventilation (ADN) : VE01, VE03  
Provisions for inspection of holds during carriage (ADN) : IN01, IN02  
Number of blue cones/lights (ADN) : 1

## - Rail transport

Classification code (RID) : F1  
Special provisions (RID) : 216, 274, 601  
Limited quantities (RID) : 1kg  
Excepted quantities (RID) : E2  
Packing instructions (RID) : P002, IBC06, R001  
Special packing provisions (RID) : PP9  
Mixed packing provisions (RID) : MP11  
Portable tank and bulk container instructions (RID) : T3, BK1, BK2  
Portable tank and bulk container special provisions (RID) : TP33  
Transport category (RID) : 2  
Special provisions for carriage – Packages (RID) : W1  
Special provisions for carriage – Bulk (RID) : VC1, VC2, AP2  
Colis express (express parcels) (RID) : CE11  
Hazard identification number (RID) : 40

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions  
Contains no substance on the REACH candidate list  
Contains no REACH Annex XIV substances



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 9/11/2018

Version: 1.0

**1033 - 1034 -  
1038 - 1039**

**CREME 1925**

## 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. Not classified	Carcinogenicity Not classified
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Flam. Sol. 2	Flammable solids, Category 2
Muta. Not classified	Germ cell mutagenicity Not classified
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH208	Contains . May produce an allergic reaction.

SDS

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*